

Vintage Stone™ Heritage™ Series

The tumbled Vintage Stone™ product mixture delivers scale, color and modular design options for a unique pavement expression. The truly random pattern of Vintage Stone expands an infinite number of impression possibilities making it one of the most popular design elements for pavements today. The stone is available in standard or tumbled Heritage[™] texture. Adding the Giant Vintage Stone[™] opens up a larger scale for more elegant designs.

COMPOSITION AND MANUFACTURE

Vintage Stone™ is made from a "no slump" concrete mix. Made under extreme pressure and high frequency vibrations, Venetian Stone™ has a compressive strength greater than 8000psi, a water absorption maximum of 5% and will meet or exceed ASTM C-936.

INSTALLATION

- 1. Excavate unsuitable, unstable or unconsolidated subgrade material and compact the area which has been cleared. Backfill and level with dense graded aggregate suitable for base material. Typically the base material is 4 in. to 8 in. (101mm to 202mm) in depth of compacted base for light vehicular and pedestrian traffic or as otherwise directed by Site Engineer/Architect/Landscape Architect.
- 2. Place bedding course of washed sand conforming to the grading requirements of ASTM C-33 to a uniform depth of 1-1 1/2 in. (25-38mm) screeded to the grade and profile required.
- 3. Install Vintage Stone™ with vertical side joints approximately 1/8 in. (3mm) in width.
- 4. Where required, cut pavers with an approved cutting device to fit accurately, neatly and without damaged edges.
- 5. Tamp pavers with a plate compactor, uniformly level, true to grade and free of movement.
- 6. Spread sand to 1/8 in. thickness over entire paving area. Stabilization of jointing sand may be required.
- 7. Make one more pass with plate compactor to fill joints with sand.

Complete installation & specification details are available by contacting your Pavestone Company Sales Representative.

Note: Colors are shown as accurately as possible in brochures & samples, but due to the nature of the product, regional color differences and variables in print reproduction, colors may not match exactly. For best results in maintaining color consistency, pavers must be installed from several cubes at a time. Efflorescence, a whitish, powder-like deposit, may appear on concrete pavers. This is a natural occurrence in any concrete product and will usually wear off over time.



Herringbone

Runner Bond Rectangle







APPLICATIONS

Driveways • Patios • Entrance Areas • Sidewalks • Terraces Garden Pathways • Pool Decks • Pedestrian Malls • Roof Gardens • Plazas

PRODUCT INFORMATION

Vintage Stone™ is available in a thickness of 2 3/8"* = 60mm



Vintage Stone™ Square Only

Nominal Dimensions: 5 13/16" W x 5 13/16" L *

148mm x 148mm

Height/Thickness: 60mm = 2 3/8" Wt./Stone 6.7 lbs. Stones/Pallet 400 Approx. Wt./Pallet 2,688 lbs.**

Sq. ft./Pallet 96 Product Number 282 (282T Heritage[™] Series)



Vintage Stone™ Giant Only

Vintage Stone™ Rectangle Only Nominal Dimensions 8 3/4" W x 8 3/4" L* Nominal Dimensions :5 13/16" W x 8 3/4" L*

223mm x 223mm 148mm x 223mm Height/Thickness: 60mm = 2 3/8" Height/Thickness: 60mm = 2 3/8" Wt./Stone 15.4 lbs. Wt./Stone 10.1 lbs. Stones/Pallet 200 Stones/Pallet 250 Approx. Wt./Pallet 3080 lbs. ** Approx. Wt./Pallet 2,520 lbs.** Sq. ft./Pallet Sq. ft./Pallet 110 ٩n **Product Number**

Product Number 292 (280T Heritage[™] Series) (292T Heritage[™] Series)

Vintage Stone™

1/2 Square & Square Bundled Together

Nominal Dimensions: 1/2 Sq.: 2 7/8" W x 5 13/16" L* - 73mm x 148mm Sq.: 5 13/16" W x 5 13/16" L* - 148mm x 148mm

Height/Thickness: 60mm = 2 3/8"

Wt./Stone 3.5 lbs. 1/2 SQ. 6.7 lbs. SQ. Stones/Pallet 240 1/2 SQ. 320 SQ.

Approx. Wt./Pallet 2,968 lbs.** Sq. ft./Pallet 106 **Product Number** 291 (291T Heritage™ Series




*Fractional dimensions are nominal.

** Does NOT include 50 lbs. for wooden Pallet.

Not available in all markets

TYPICAL CROSS SECTION OF CONCRETE **PAVER** INSTALLATION







www.pavestone.com

• Atlanta, GA:

 Austin/San Antonio, TX Boston, MA:

• Cartersville, GA · Charlotte. NC: · Cincinnati, OH:

 Colorado Springs, CO:
Dallas/Ft. Worth, TX: Denver, CO:

(704) 588-4747 (513) 474-3783 (719) 322-0101 (817) 481-5802 (303) 287-3700 Hagerstown, MD (240) 420-3780

Houston, TX: • Kansas City, MO: Las Vegas, NV:

(702) 221-2700 • New Orleans, LA: (985) 882-9111 (602) 257-4588 · Phoenix. AZ: St. Louis/

Cape Girardeau,MO: Sacramento/ Winters, CA:

(573) 332-8312 (530) 795-4400

(281) 391-7283

(816) 524-9900

156v4 5/1

CDC 1



(770) 306-9691


(512) 558-7283

(508) 947-6001


(770(607-3345




Vintage Stone™ Combo 291 Installation Patterns




THREE STONE COMBO RUNNER BOND (9)



3X6, 6X6, & 6X9 RANDOM (15)




3X6 & 6X6 REPEATING (17)




RANDOM RUNNER BOND (20)




Vintage Stone™ Combo 291 Installation Patterns




RANDOM MOSAIC (21)



TWO STONE COMBO RUNNER BOND (29)




3X6, 6X6, & 6X9 RANDOM (54)




3X6, 6X6, 6X9, & 9X9 RANDOM WITH GIANT (55)



Vintage Stone™ Combo 291 Installation Patterns





TWO STONE COMBO STACK (57)

THREE STONE COMBO STACK (58)

