

## Concrete Pave Stones

## **City Stone**<sup>™</sup> Series







IMPROVING YOUR LANDSCAPE™

# **City Stone**<sup>™</sup> Series

Available in a variety of finishes, this stone brings scale and dimension to architectural settings. City Stone™ can be used alone or in combination modules of symmetrical squares and rectangular shapes to create extraordinary patterns and endless designs. Also available in Heritage<sup>™</sup> (tumbled), Parkway<sup>™</sup> (non-chamfered edge) and Provencial<sup>™</sup> (smooth) Series.

#### **COMPOSITION AND MANUFACTURE**

City Stone™ Series is made from a "no slump" concrete mix. Made under extreme pressure and high frequency vibrations, City Stone™ Series has a compressive strength greater than 8000psi, a water absorption maximum of 5% and will meet or exceed ASTM C-936 and freezethaw testing per section 8 of ASTM C-67.


#### **INSTALLATION**

- 1. Excavate unsuitable, unstable or unconsolidated subgrade material and compact the area which has been cleared. Backfill and level with dense graded aggregate suitable for base material (typically 4 in. to 8 in. (101mm to 202mm) of compacted base for light vehicular and pedestrian traffic) or as otherwise directed by Site Engineer/Architect/Landscape Architect.
- 2. Place bedding course of washed concrete sand conforming to the grading requirements of ASTM C-33 to a uniform depth of  $1-1^{1}/_{2}$  in. (25-38mm) screeded to the grade and profile required.
- 3. Install City Stone<sup>™</sup> Series with joints approximately 1/8 in. (3mm).
- 4. Where required, cut pavers with an approved cutting device to fit accurately, neatly and without damaged edges.
- 5. Tamp pavers with a plate compactor, uniformly level, true to grade and free of movement.
- 6. Spread sand to 1/8 in. thickness over entire paving area
- 7. Make one more pass with plate compactor to fill joints with sand.

Complete installation & specification details are available by contacting your Pavestone Sales Representative.

Note: Colors are shown as accurately as possible in brochures & samples, but due to the nature of the product, regional color preferences and variables in print reproduction, colors may not match exactly. For best results in maintaining color consistency, pavers must be installed from several cubes at a time. Efflorescence, a whitish, powder-like deposit, may appear on concrete pavers. This is a natural occurrence in any concrete product and will usually wear off

#### **PNISTALLATION PATTERNS**





	Г
Improving Your Landscape™	-

Ţ ww.pavestone.com

Atlanta, GA:	1
Austin/San Antonio, TX:	1
Boston, MA:	1
Cartersville, GA	1
Charlotte, NC:	1
Cincinnati, OH:	1
Colorado Springs, CO:	1
Dallas/Ft. Worth, TX:	1
Denver, CO:	1
Hagerstown, MD:	1

	(,, 0) 000 ,01
tonio, TX:	(512) 558-728
	(508) 947-600
A	(770) 607-334
	(704) 588-474
l:	(513) 474-378
ngs, CO:	(719) 322-010
τĥ, TX:	(817) 481-580
	(303) 287-370
ND:	(240) 420-378

	(770) 306-9691	• H
X:	(512) 558-7283	• K
	(508) 947-6001	• Lo
	(770) 607-3345	• N
	(704) 588-4747	• Pl
	(513) 474-3783	• Sc
):	(719) 322-0101	V
	(817) 481-5802	• St
	(303) 287-3700	C
	(240) 420-3780	

<ul> <li>Houston, TX:</li> <li>Kansas City, MO:</li> <li>Las Vegas, NV:</li> <li>New Orleans, LA:</li> <li>Phoenix, AZ:</li> </ul>	(281) 391-7283 (816) 524-9900 (702) 221-2700 (985) 882-9111 (602) 257-4588	/0/01
<ul> <li>Sacramento/ Winters, CA:</li> <li>St. Louis/ Cape Girardeau, MO:</li> </ul>	(530) 795-4400 (573) 332-8312	

© 2007 by Pavestone Company. All Rights Reserved. PNSTONE, Improving Your Landscape™, City Stone ™ Series, Heritage™ Series, Parkway Provencial™ Series are trademarks of the Pavestone Company. Series and

#### **APPLICATIONS**

General Road Construction • Parking Lots • Driveways • Patios • Entrance Areas Sidewalks • Terraces • Garden Pathways • Pool Decks • Pedestrian Malls Roof Gardens • Plazas

#### **PRODUCT INFORMATION**

City Stone<sup>™</sup> Series is available in seven (7) sizes. Height/Thickness 2 <sup>3</sup>/<sub>8</sub>" = 60mm and  $3^{1}/_{8} = 80$ mm. Symetry<sup>™</sup> Square Only\* City Stone<sup>™</sup> I Nominal Dimensions 5 13/16 W x 5 13/16" L

Height/Thickness:

Approx. Wt./Pallet

Stones/Sq.Ft.

Stones/Pallet

Sq. ft./Pallet

Product Number

Height/Thickness:

Stones/Sq.Ft.

Stones/Pallet

Sq. ft./Pallet

Product Number

Height/Thickness:

Approx. Wt./Pallet

Stones/Sq.Ft.

Stones/Pallet

Sq. ft./Pallet

Stones/Pallet

Sq. ft./Pallet

Stones/Sq.Ft.

Stones/Pallet

Sq. ft./Pallet

Product Number

Approx. Wt./Pallet

Wt./Stone

Wt./Stone

Wt./Stone

Approx. Wt./Pallet

Wt./Stone

Wt./Stone

City Stone I		
Nominal Dimension	$15 \ 5^{13}/_{16} \text{ W x } 11$	3/4" L
	148mm x 298n	
Height/Thickness:	$60 \text{mm} = 2 \frac{3}{8}$	$80 \text{mm} = 3 \frac{1}{8}$
Stones/Sq.Ft.	2.08	2.08
Wt./Stone	14 lbs.	18 lbs.
Stones/Pallet	200	160
Approx. Wt./Pallet	2,688 lbs.	2,880 lbs.
Sq. ft./Pallet	96	78
Product Number	287	289
C. C. M.H.		
City Stone <sup>™</sup> II		
	quare Bundled To	getner
Nominal Dimension	-	
1/2 SQ.:	5 <sup>13</sup> / <sub>16</sub> W x 2 <sup>7</sup> / <sub>8</sub> "	L
	148mm x 73mm	
SQ.:	5 <sup>13</sup> / <sub>16</sub> W x 5 <sup>13</sup> / <sub>1</sub>	6" L
	148mm x 148mm	
Height/Thickness:	, -	
Stones/Sq.Ft.		4.12
	3.5 lbs. 1/2 SQ.	
Stones/Pallet		320 SQ.
Approx. Wt./Pallet	2,968 lbs.	
	106	
Product Number	296	
City Stone™ II Po	arkwav™	
1/2 Square & Sc	quare Bundled To	gether
Nominal Dimension		3
	5 13/14 W x 27/9"	

1/2 SQ.: <sup>13</sup>/<sub>16</sub> W x 2 <sup>7</sup>/<sub>8</sub> 148mm x 73mm 5 13/16 W x 5 13/16" L SQ.: 148mm x 148mm Height/Thickness:  $60mm = 2^{3}/8''$ Stones/Sq.Ft. 8.42 4.12 6.7 lbs. SQ. 3.5 lbs. 1/2 SQ. Wt./Stone Stones/Pallet 240 1/2 SQ. 320 SQ. Approx. Wt./Pallet 2,968 lbs. Sq. ft./Pallet 106 Product Number 291

		State of the local division of the local div
*City Stone™ III		
Nominal Dimensions	11 <sup>3</sup> / <sub>4</sub> W x 11	3/4" L
	298mm x 298i	nm
Height/Thickness:	$60 \text{mm} = 2 \frac{3}{8}$	" 80mm = 3 <sup>1</sup> / <sub>8</sub> "
Stones/Sq.Ft.	1	1
Wt./Stone	27 lbs.	36 lbs.
Stones/Pallet	120	80
Approx. Wt./Pallet	3,360 lbs.	3.456 lbs.
Sq. ft./Pallet	120	96
Product Number	277	279
*Not recommended	for tumbling	or urban traffic.
City Stone III™ does not conform with ASTM C-936 size and		
aspect ratio requiremen	ts.	
*Fractional c	limensions a	re nominal.

Product Number	292
City Stone™ IV	
(also see Holland Stor	ne IV)
Nominal Dimensions	3 7/8 W x 3 7/8" L
	98mm x 98mm
Height/Thickness:	$60 \text{mm} = 2 \frac{3}{8}$ "
Stones/Sq.Ft.	9.32
W/4 /C4	2.11.

148mm x 148mm

148mm x 223mm

148mm x 223mm

60mm = 2 <sup>3</sup>/<sub>8</sub>"

60mm = 2 <sup>3</sup>/<sub>8</sub>" 80mm = 3<sup>1</sup>/<sub>8</sub>"

2.666

200

2,700

75

298

13.5 lbs.

 $60 \text{mm} = 2^{3}/8''$ 

4.16

400

96

666 \*Coordinates with City Stone™ Series

Nominal Dimensions 5<sup>13</sup>/<sub>16</sub> W x 8<sup>3</sup>/<sub>4</sub>" L

2.659

250

90

297

2.659

250

90

11.2 lbs.

2.520 lbs.

City Stone<sup>™</sup> II Parkway<sup>™</sup> Rec Only Nominal Dimensions 5<sup>13</sup>/<sub>16</sub> W x 8<sup>3</sup>/<sub>4</sub> " L

11.2 lbs.

2,520 lbs.

City Stone<sup>™</sup> II Rectangle Only

6.7 lbs.

2.688 lbs.

3 lbs 960 Approx. Wt./Pallet 2,884 lbs. 103 Product Number 213

2.33

240

103

257

12 lbs.

2,884 lbs.

Citv Stone<sup>™</sup> V Nominal Dimensions  $7 \frac{13}{16}$  W x  $7 \frac{13}{16}$ " L Height/Thickness: 60mm = 2 <sup>3</sup>/<sub>8</sub>" 80mm = 3 <sup>1</sup>/<sub>8</sub>"

198mm x 198mm

2.3

192

83

259

15.6 lbs.

2,988 lbs.


12/06 SKU# CM 030v8

Member of ASLA & NCMA

**ICPI Charter Member** 


Anchor **Retaining Wall Systems** 

## City Stone<sup>™</sup> IV 213 Installation Patterns





## City Stone<sup>™</sup> IV 213 Installation Patterns



BISHOP'S HAT 3 (14)

